



VENTILATORY MANAGEMENT Bag-Valve Mask

Candidate: _____ Date: _____

Skill Evaluator: _____ Scenario #: _____

Time Start: _____ Station #: _____

Takes or verbalizes body substance isolation precautions	1	
Assesses patient for gag reflex	1	
Manually opens airway or inserts simple airway adjunct (OPA or NPA)	1	
Connects reservoir and oxygen to bag-valve-mask device	1	
Adjusts liter flow to 15 lpm or greater	1	
Ventilates patient appropriately <ul style="list-style-type: none"> - positions mask correctly (1 point) - provides adequate mask seal during ventilations (1 point) - ventilations are performed to produce gentle chest rise (1 point) - ventilations are performed at a rate of 10-12 bpm (1 point) 	4	
Note: The skill evaluator must observe ventilations for at least 1 minute		

TOTAL **9**

Time End: _____

CRITICAL CRITERIA

- _____ Failure to initiate ventilations within 30 seconds after first contact with patient
- _____ Interrupts ventilations for greater than 30 seconds at any time
- _____ Failure to provide high oxygen concentrations (15 lpm or greater)
- _____ Failure to ventilate patient at a rate of at least 8 bpm
- _____ Failure to provide adequate seal or produce gentle chest rise with ventilations
- _____ Compromises patient's condition in any way (**must document below**)

COMMENTS: _____
